

INDEX MAPS.

T. 2N R. 3W 2nd Mer.

	192 218	192 218	192 218	192 218	191 217	191 217
195	6 217	5 216	4 216	3 216	2 214	1 191
	217	211	211	214	214	215
194	7 210	8 209	9 213	10 213	11 213	12 190
	210	210	209	211	212	215
194	18 205	17 204	16 209	15 212	14 208	13 190
	206	204	204	206	207	208
194	19 205	20 202	21 203	22 206	23 208	24 189
	205	201-202	202	203	203	207
193	30 201	29 197	28 200	27 200	26 200	25 189
	196	196-198	197	198	199	199
193	31 195	32 196	33 196	34 198	35 199	36 189
	188 (188)	188 (188)	187 (188)	187 (188)	187 (188)	187 (188)

T. 3N R. 3W 2nd Mer.

	249	248	248	248	248	248	248	248	248
247	6 247	5 243	4 243	3 240	2 243	1 234			
	246	237	237-239	239	240	240-242	242		
246	7 246	8 236	9 239	10 238	11 241	12 234			
	245	246	236	235-237	238	240-241	241		
	245	232							
245	18 231	17 231-232	16 232-232	15 233-235	14 229	13 233-234			
244	19 223	20 231	21 230	22 227	23 228	24 233			
244	224	224-225	231-232	230	228-229	228-229			
244	30 223	29 224	28 229	27 227	26 228	25 226			
220	222	224-225	224	225-227	225-227	226-227			
220	31 222	32 222	33 221	34 221	35 225	36 226			
	220	220	219	219	219	219			

Meadow 249

[] The figures on the lines refer to the page.

Township No. 3. North of Range No. 3 West 2nd Mer. (Sec. 2)

South Boundary

West On the South Boundary of sec. 36. T. N. 3. R. N. 37
 2.50 To a Brook 10 links wide, Course S. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck. 20 in dir. bears N 1 E. 15 links west; and
 Do. 10 " " " S 15 E. 10 " "
 79.70 Intersect the N & S line
 80.00 Set a post for the cor. of sec. 35 & 36. T. N. 3. R. N. 37
 from which a Beck. 14 in dir. bears N 25 E. 17 links west
 angle a Do 17 " " " S 64 W. 18 " "
 Lands hid by and good. Timber Oak & 7 Beck.

West On the South Boundary of sec. 35 T. N. 3. R. N. 37
 35.00 To a Brook 25 links wide, Course South.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck. 16 in dir. bears S 62 E. 14 links west; and
 Do 10 " " " S 14 W. 3 " "
 65.00 To a Brook 10 links wide, Course S. E.
 79.00 To " " 8 " " " " " S 80 E.
 80.00 Set a post for the cor. of sec. 34 & 35 T. N. 3. R. N. 37.

West On the South Boundary of sec. 34. T. N. 3. R. N. 37.
 0.33 To the post cor. of sec. 2 & 3 T. N. 3. R. N. 37.
 4.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Gum 17 in dir. bears S 71 E. 2 links west; and a
 Beck. 12 " " " N 71 W. 9 " "
 80.00 Set a post for the cor. of sec. 33 & 34 T. N. 3. R. N. 37.
 from which a Maple 7 in dir. bears N 67 E. 33 links west
 and a Beck. 12 " " " S 63 W. 22 " "
 Lands best and good soil. Timber Beck, Oak
 Gum &c. Dec. 8. 1804.

West On the South Boundary of sec. 33. T. N. 3. R. N. 37.
 .50 To the post cor. of sec. 3 & 4. T. N. 3. R. N. 37.
 35.50 To a Brook of links wide, Course N. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck. 10 in dir. bears N 72 E. 7 links west; and
 Do 12 " " " S 28 E. 30 " "

T. N. 3. R. N. 3. T. 2nd Mer. Ind.

- 74.00 To a Brook 8 miles wide, Corner N.
80.00 Set a post for the cor. to Sec. 32. 33. T. N. 3. R. N. 3. T. 2nd
Lands hilly, soil mostly good. Timber Beech Oak,
Sugar
-
- West On the South Boundary of Sec. 32 T. N. 3. R. N. 3. T. 2nd
0.21 To the post cor. of Sec. 485 T. N. 2. R. N. 3. T. 2nd
35.50 To a Brook 15 miles wide, N 70 E.
40.00 Set a post for the cor. to 1/4 Sec. from which a
Buck 12 in diam bears S 41 - 37 miles dist; to
Maple 10 " " " N 41 E. 77 " " "
80.00 Set a post for the cor. to Sec. 31. 32. T. N. 3. R. N. 3. T. 2nd
Lands hilly, and poor soil; Timber Oak, Hickory, Beech
-
- West On the South Boundary of Sec. 31 T. N. 3. R. N. 3. T. 2nd
4.08 To a post cor. of Sec. 586 T. N. 2. R. N. 3. T. 2nd
40.00 Set a post for the cor. to 1/4 Sec. from which a
Buck 12 in diam bears N 85 E. 31 miles dist; to
Do 9 " " " S 68 W 23 " " "
80.50 Intersect the N 15 Range line 5 miles North of post.
cor. of Sec. 2. 3. R. N. 3. T. 2nd
Soil and Timber same as on the last mile
-
- North On the Range line West Boundary of Sec. 31 T. N. 3. R. N. 3. T. 2nd
40.00 Set a post for the cor. to 1/4 Sec. from which a
Oak 14 in diam bears N 9 W. 8 miles dist; and a
Sugar 10 " " " S E. 30 " " "
58.37 To a Sugar 14 in diam stands on the line.
71.00 Steep hills middling soil to bottom.
77.50 To a Brook 80 miles wide, Corner N.
80.00 Set a post for the cor. to Sec. 25. 36. T. N. 3. R. N. 4. T. 2nd
from which a Hoop. Oak 12 in diam bears East 37 lbs dist,
and a B Walnut 20 in diam bears N 79 W. 20 lbs dist
Sand rich bottom; Timber Beech, Sugar to
-
- North On the East Boundary of Sec. 25 T. N. 3. R. N. 3. T. 2nd

T. N^o 3. N.R. N^o 277. 2nd Mer. Ind.^a

40.00 Set a post for the cor. to the cor. of 1/4 sec. from which a
 Buck. 12 in dia: bears N 80 E. 12 links dia: and a
 Do. 14 " " " S 44 W. 5 " "
 Good bottom land Timber Buck, Sugar, ash, & Oak

Set a post for the cor. of sec. 34 & 35 T. N^o 3. N.R. N^o 277 from
 which a Sugar 18 in dia: bears S 60 W. 30 links dia: and a
 Buck 12 " " " S 25 E. 31 " "

North Return Sec. 34 & 35 T. N^o 3. N.R. N^o 277.

33.38 To a Sugar 14 in dia: in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck. 16 in dia: bears S 81 W. 30 links dia: & a
 Do. 14 " " " N 55 E. 15 " "

80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which a
 Poplar. 20 in dia: bears N 75 E. 16 links dia:, and a
 Buck. 16 " " " S 45 W. 47 " "
 Poor. hilly, Sand. Timber much, killed by fire

Set a post for the cor. of sec. 33 & 34 T. N^o 3. N.R. N^o 377. from
 which a Maple. 7 in dia: bears N 67 E. 33 links dia: & a
 Buck 12 " " " S 63 W. 22 " "

North Return Sec. 33 & 34 T. N^o 3. N.R. N^o 377.

4.50 To a Buck. 10 in dia: stands in the line

30.88 To " Do. 16 " " " " " "

35.00 " " Boro 10 links wide, course N 20 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 10 in dia: bears N 18 E. 26 links dia: and a
 Buck 9 " " " S 8 E. 40 " "

46.31 To a B. ash. 14 in dia: in the line

62.28 To a W Oak 28 " " " " "

80.00 Set a post for the cor. to sec. 27, 28, 33 & 34 from which a
 Sugar 13 in dia: bears S 24 W. 39 links dia: and a
 Do. 10 " " " N 49 E. 20 " "
 Good hilly and broken. Poor soil. Timber Oak Buck & O

T. N. 3 N.R. N. 37. 2nd Mer. 1 Sec. 4)

Set a post for the cor. of sec. 32 & 33, T. N. 3 N.R. N. 37 from
which a Sugar 10 in diam. bears N 82 W 4 miles due
and a Beech 7 " " " S 64 E 22 " "

North Return Sec. 32 & 33, T. N. 3 N.R. N. 37.
6.80 To a Sugar 14 in diam. stands in the line
12.00 To a Beech 12 miles wide course East
31.24 To a Gum 17 in diam. stands in the line
40.00 Set a post for the cor. to 1/4 Sec. from which a
Beech 14 in diam. stands S 27 N 30 miles due; and a
Oak 4 " " " N 20 W 36 " "
61.85 To a W. Oak 17 in diam. in the line
80.00 Set a post for the cor. of sec. 28, 29, 32, & 33 from which a
W. Oak 19 in diam. bears N 24 W 90 miles due; and a
Do. 12 " " " S 45 E 41 " "
Sands level & good soil for small grain, Timber Oak
 Hick. Sugar Gum. & Beech.

Set a post for the cor. of sec. 31 & 32, T. N. 3 N.R. N. 37
from which a Maple 16 in diam. bears S 17 W 1 1/2 miles;
and a B. Oak 18 " " " S 17 E 40 " "

North Return Sec. 31 & 32, T. N. 3 N.R. N. 37.
1.07 To a B. Oak 16 in diam. in the line
40.00 Set a post for the cor. to 1/4 Sec. from which a
W. Oak 17 in diam. bears N 35 E 20 miles due; and a
Do. 7 " " " S 63 W 31 " " "
57.53 To a Sugar 10 in diam. in the line
71.00 To a Beech 10 miles wide, course NW?
80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which a
W. Oak 17 in diam. bears S 67 W 16 miles due; and a
Do. 17 " " " S 55 E 16 " "
Good soil; Sands hilly, Timber Oak, Sugar Beech &

West Return Sec. 30 & 31, T. N. 3 N.R. N. 37.
18.57 To a Beech 18 miles wide, course North.

D. No. 3. N.R. No. 377. 2nd Mer. (Ind.),

- 40.00 Set a post for the cor. to 70 Su. from which a
Sugon 10 mi dist bears N16 E. 38 miles dist; and a
Do. 7 " " " S127.5 " "
- 51.00 Lands hilly and middling soil
- 48.00 To a Cor. 80 miles wide, Comae N.W.
- 80.83 Intersected the N.S. Range line at the post cor. off
Sec. 25 & 36 T. No. 3. N.R. No. 377.
Lands rich bottom; Timber Beech, Sugar, &c.
Dec. 9th Quit for the day.

- North Return Sec. 29 & 30 T. No. 3 N.R. No. 377.
- 32.51 To a Cor. 80 miles wide, Comae West.
- 29.86 To a Beech 20 mi dist stands in the line.
- 40.00 Set a post for the cor. to 70 Su. from which a
Sugon 10 mi dist bears S50.7. 45 miles dist; & a
Do. 14 " " " N82 E. 17 " "
- 52.04 To a Poplar 40 mi dist in the line
- 80.00 Set a post for the cor. to Sec. 19, 20, 29 & 30. from which a
Beech 5 mi dist bears N69 N. 6 miles dist; and a
Sugon 9 " " " S31 E. 7 " "
Lands good and good soil. Timber Beech, Sugar

- North Return Sec. 19 & 20. T. No. 3 N.R. No. 377.
- 17.00 To a Beech 7 miles wide, Comae N.W.
- 23.89 " " Beech 14 mi dist in the line.
- 32.65 To a Gum 22 mi dist in the line.
- 40.00 Set a post for the cor. to 74 Su. from which a
Beech 16 mi dist bears N85 N. 46 miles dist; and a
Do. 18 " " " S17 E. 5 " "
- 41.67 To a Beech 10 mi dist stands in the line.
- 48.00 " " W. Oak 10 " " " " " "
- 80.00 Set a post for the cor. to Sec. 17, 18, 19, & 20. from which a
W. Oak 14 mi dist bears N30 E. 13 miles dist; & a
Poplar 4 " " " South of " "
Lands middling hilly. Timber Beech &c.

T. N. 3. N. R. N. 37. 2nd Mer. (Ind.)

- West Between Sep. 19 & 30 T. N. 3. N. R. N. 37.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 8 in. diam. bears S55 $^{\circ}$ W. 21. miles dist; and
 La. 18" " " S64 $^{\circ}$ E. 31 " "
 56.50 To the Left Bank of White River and set a post for
 the cor. of fract. Sep. 19 & 30 from which a
 Log 14 in. diam. bears N45 $^{\circ}$ W. 10 miles dist; and
 Log 8 " " " S72 $^{\circ}$ E. 20 " "
 Land good buck bottom.

- East On a Random line between Sep. 29 & 30 T. N. 3. N. R. N. 37.
 79.90 Intersect the N. S. line 10 miles South of the post cor. of
 Sep. 28, 29, 30, 1833. Land hilly and thin soil
 Timber Oak Buck etc.

- North Between Sep. 28 & 29 T. N. 3. N. R. N. 37.
 17.47 To a Buck 17 in. diam. in the line
 23.00 To a Bush 70 miles wide, Course West; Steep & hilly
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 B. Oak 18 in. diam. bears N18 $^{\circ}$ W. 46 miles dist; and
 La. 30 " " S9 $^{\circ}$ W. 31 " "
 45.07 To a Sm. Bottom Land for Grass.
 80.00 Set a post for the cor. of Sep. 20, 21, 28, 1829 T. N. 3. N. R. N.
 37. from which a Poplar 10 in. diam. bears N20 $^{\circ}$ E. 33
 miles dist; and a Log 5 " " " S4 $^{\circ}$ W. 25
 " " Land good soil & hilly; Timber Oak
 Buck, & Sugar etc.

- West Between Sep. 20 & 29 T. N. 3. N. R. N. 37.
 37.00 To a Bush 7 miles wide, Course E.
 80.80 Intersect the N. S. line 20 miles South of the post cor.
 of Sep. 19, 20, 29, 1830. Land hilly, middling soil
 Timber Oak Buck etc.

- East Between Sep. 28, 1833 T. N. 3. N. R. N. 27.
 17.00 Land hilly to creek 70 miles wide, Course N. W.

T. N. 3 N.R. N. 37. 2nd Mer. Ind. "

25.00 To a Brook 70 links wide, Course S.W.
 40.00 Good Bush, bottom
 79.70 Enter out the N+S line 4 links N of the post cr. of sec.
 27, 28, 33, 34. Land hilly soil good. Timber Bush,
 Sugar, Oak &c.

West Corrected the line between Sec. 28 & 33 T. N. 3 N.R. N. 37.
 Set a post at the av. dist. in the true line cor. to 74 sec.
 from which a Bush 7 mi. dist. bears West 1/4 sec. 10
 Lo. 24 " " " East 18 " "

West Corrected the line between Sec. 29 & 32 T. N. 3 N.R. N. 37.
 and set a post at the av. dist. in the true line at the
 true line for the cor. to 74 sec. from which a
 Bush 10 mi. dist. bears N 29 E. 20 links dist; and a
 Lo. 14 " " " S 68 W. 25 " "

West Corrected the line between Sec. 20 & 29 T. N. 3 N.R. N.
 37. and set a post for the cor. to 74 sec. at the av. dist
 in the true line. from which there are no bearings
 Dec. 10th 1804

East Return Sec. 27 & 34 T. N. 3 N.R. N. 37.
 19.00 To a Brook 12 links wide, Course N.
 80.14 Enter out the N+S line 6 links North of the post cr. of
 Sec. 26, 27, 34 & 35 Land steep hills unfit for cul-
 tivation. Timber Oak, Bush, &c.

East Return Sec. 26 & 35 T. N. 3 N.R. N. 37.
 80.00 Set a Ran. am post cr. of sec. 25, 26, 35 & 36.
 Soil surface and timber same as the last mile.

North Return Sec. 35 & 36 T. N. 3 N.R. N. 37.
 22.50 To a Bush 20 mi. dist. in the line
 30.00 To a corner of the main, Course West Good hill land
 40.00 Set a post for the cor. to 74 sec. from which a
 W Walnut 9 mi. dist. bears N 40 E. 7 links dist; no more trees

T. N. 3. N. R. N. 37. 2nd Mer. Ind.

80.00 Into set the E + W. line 7 links West of the Random post
 cr of sec. 25, 24, 35 & 36 T. N. 3. N. R. N. 37. from which
 Beech 14 in diam? bears N 63 W. 8 links dist; and a
 Sugar 12 " " " S 46 E 20 " "
 Lands steep from barren hills, much timber

East On a Random line between Sec. 25 & 36 T. N. 3. N. R. N. 37.

80.00 To a Brook 7 links wide, Course N. W.

80.00 Set a Random post. Timber mostly killed by fire. much
 Birch &c.

North On the East Boundary of sec. 36 T. N. 3. N. R. N. 37.

1.75 To a Brook 12 links wide, Course N. W.

3.17 To an Elm 10 in diam? bears in the line

28.34 " a Beech 14 " " " " "

31.00 Timbered land midling side.

40.00 To a Gum 17 in diam? stands for the cor. to 1/4 sec.

80.00 Fell 10 links East of the Random post and set a post
 for the cr. of sec. 25 & 36 T. N. 3. N. R. N. 37. from which a
 W. Oak. 17 in diam? bears S 84 W. 47 links dist; and a
 Sugar 10 " " " N 32 E. 27 " "
 Timber all killed by fire, much Birch & stands &c

North On the East Boundary of sec. 25 T. N. 3. N. R. N. 37.

14.30 To a Beech. 18 in diam? in the line.

29.48 To a Sugar 14 " " " " "

40.00 Set a post for the cor. to 1/4 sec. from which a

Sugar. 14 in diam? bears S 71 E. 21 links dist; and a

Logwood 8 " " " N 16 E. 8 " "

42.30 To a Sugar 16 in diam? in the line

80.00 Set a post for the cor. of sec. 24 & 25 T. N. 3. N. R. N. 37.

from which an Elm 8 in diam? bears N 39 W. 17 links dist

and a Do 8 " " " S 48 E. 8 " "

Lands high & hilly. Midling side. Timber Oak, Beech.

Corrected the line between Sec. 25 & 36 T. N. 3. N. R. N. 37

T. N. 3. N. R. N. 377. 2nd Mer. Ind^o

47.66	To a W. Oak 16 in. dia: stands in the line
80.00	Set a post for the cor. of sec. 14, 15, 22, 23. from which Sugar 6 in dia: bears N33E. 6 links east; and a Beech. 22 " " " S62 77. 19 " "
	Good hilly, middling soil. Timber Oak, Sugar, Beech &c
East	On a Random line between Sec. 23 & 24. T. N. 3. N. R. N. 377
31.00	To a Brake 16 links wide, Corner N.
46.00	" " Brook 7 " " " N. N.
80.00	Set a Random post cor. of sec. 23, 24, 25 & 26. Good hilly middling soil. Timber Oak, Beech. &c
North	Between Sec. 25 & 26. T. N. 3. N. R. N. 377.
7.50	To a Brook. 7 links wide, Corner N. N.
22.46	To a Poplar 10 in. dia: in the line
40.00	Set a post for the cor. to 7/8 sec. from which a Beech. 8 in. dia: bears S17E. 7 links east; and a Hickory 10 " " " N47 77. 11 " "
69.48	To a Gum 20 in dia: in the line.
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which a Beech 10 in dia: bears S52E. 2 links east; and a Oak. 12 " " " N82 77. 42 " "
	Good soil and timber as before
East	On a Random line between Sec. 24 & 25 T. N. 3. N. R. N. 377.
79.94	Intersect the N. S. Range line at the post cor. of sec. 24 & 25. Good hilly land. Timber Oak, Beech, Sugar, Dogwood, Sycamore &c.
North	Between Sec. 23 & 24 T. N. 3. N. R. N. 377.
9.18	To a Beech. 14 in dia: in the line
40.00	Set a post for the cor. to 7/8 sec. from which a Beech. 8 in dia: bears N40E. 10 links east and a

72.99	Sugar 9 in. dia: beans N40 W. 11 miles dist.
80.00	To a Bush. 14 in dia: in the line. Set a post for the cor. of Sec. 13, 14, 23 & 24 from which a Bush. 10 in dia: beans. N15 E. 20 miles dist; and a Do. 14 " " " S67 W. 29 " "
West 39.97	Corrected the line between Sec. 24 & 25 T. N. 3. N. R. No. 377 Set a post at the corr. dist on the true line for the cor. to 1/4 Sec. from which a Poplar. 10 in. dia: beans S13 E. 16 miles dist; and a Do. 9 " " " N16 W. 7 " "
West 40.00	Corrected the line between Sec. 23 & 26. T. N. 3. N. R. No. 377 Set a post at the corr. dist for the cor. to 1/4 Sec. on the true line. on a barren hill - no bearings
West 25.00	Between Sec. 14 & 23. T. N. 3. N. R. No. 377. Good hill land to bottom
37.50	To a Bush 50 miles wide, same S.W.
42.50	" " Do. 40 " " " " South
62.00	" " Do. 40. " " " " N.E.
71.00	" " Do. 40 " " " " S.E.
79.80	Enter out the N & S line 20 miles N of the post cor. of Sec. 14, 15, 22, & 23. Good bottom land. Timber Bush, Sugar, Oak, &c.
East 39.90	Corrected the line between Sec. 14 & 23. T. N. 3. N. R. No. 377. Set a post at the corr. dist on the true line for the cor. to 1/4 Sec. from which a Sugar. 16 in dia: beans S30 W. 14 miles dist; & a Do. 7 " " " " N27 E. 21 " "
North	Between Sec. 27 & 28 T. N. 3. N. R. No. 377.

T. N. 3. N. R. N. 377. 2nd Mer (Ind. 4)

18.00	To a Brook 16 miles wide, Course N. W.
40.00	Set a post for the cor. to 74 sec. from which a Oak 14 in. diam. bears S 23 W. 17 miles dist; & a Hick 9 " " " N 52 E. 13 " "
43.93	To a Oak 20 in. diam. stands in the line
70.00	Timber lands for sale.
80.00	Set a post for the cor. of sec. 21, 22, 27, & 28 in a barren hill. no timber Dec. 12. 1804.
West	On a random line between Sec. 22 & 27 T. N. 3. N. R. N. 377.
80.30	Intersect the N. S. line 30 miles South of the post cor. of sec. 21, 22, 27, & 28. Lands on this side unfit for cultivation steep hills; timber killed by fire. much brush & briars &c.
	Corrected the line between Sec. 22 & 27 T. N. 3. N. R. N. 377
	Set a post at the avor dist. on the true line for the cor. to 74 sec. from which a Oak 14 in. diam. bears S 9 W. 16 miles dist; and a Hick 3 " " " N 44 W 4 " "
North	Return Sec. 21 & 22. T. N. 3. N. R. N. 377.
40.00	Set a post for the cor. to 74 sec. from which a Oak 10 in. diam. bears N 45 E. 1 mile dist; & a Dro. 10 " " " S 2 E. 17 " "
54.00	Pass steep hills timber killed by fire
60.19	To a Brook. 50 miles wide, Course S. W. Good bottom lands.
80.00	Set a post for the cor. of sec. 15, 16, 21, & 22. from which a Walnut 12 in. diam. bears N 76 E. 46 miles dist; & a Beck 14 " " " S 81 E 16 " "
	Lands steep hills, meadow soil timber Oak & Buck Sugar &c.

T. N. 3 N.R. N. 3 W. 2nd Mer. Ind.^m

West	Between Sec. 21. & 28 T. N. 3. N.R. N. 3 W.
5.00	To poor barren hilly lands.
12.00	To a brook 70 links wide, Course S.
23.00	To a Good Beech bottom
79.50	Intersect the N.S. line 12 miles N. of the post cr. of Sec. 20. 21. 28 & 29. Good Beech hilly lands.
North	Between Sec. 20. & 21. T. N. 3. N.R. N. 3 W.
6.45	To a W. Oak 22 in dia? in the line.
12.53	To " W. Oak 16 " " " "
40.00	Set a post for the cor. to 1/4 Sec. from which a W Oak 4 in dia? bears S 47 ^o W. 28 links north to Dr. Dr. 8 " " " N 13 ^o W. 34 " "
65.70	To a Poplar. 11 in dia? in the line.
80.00	Set a post for the cor. of Sec. 16 17. 20 & 21 from which a Beech 13 in dia? bears S 35 ^o W. 21 links north to Gum 14 " " " North 32 " " Good hilly lands; Timber Beech, Oak &c.
West	Between Sec. 18 & 19. T. N. 3. N.R. N. 3 W.
14.50	To a Brook 8 links wide, Course N.
40.00	Set a post from which a. (Cor. to 1/4 Sec.) Gum 8 in dia? bears N 10 ^o W. 19 links north and a Beech 14 " " " S 61 ^o W. 29 " "
75.50	To the left Bank of White River and set a post for the cor. of frac. sections 18. & 19 from which a Gum. 16 in dia? bears N 31 ^o W. 16 links north to a Poplar 40 " " " S 40 ^o W. 5 " " Sand Beech bottom middling quality
West	Between Sec. 17 & 20 T. N. 3. N.R. N. 3 W.
79.70	Intersect the N.S. line 5 miles South of the post cr. of Sec. 17. 18. 19 & 20. Middling sort of hilly lands.

T. N. 3. N. R. N. 3. W. 2nd. Mer. Ind. 0.

Tribun Beech. Oak. 10.

North	Return Sep 17. & 18 T. N. 3. N. R. N. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Beech 6 in diam. bears N 21 W. 23 miles dist. & a Oak 8 " " " S 6 E. 20 " "
41.37	To a Oak 20 in diam. bears in the line
47.50	To the Left Bank of White River and set a post. for the cor. of sec. 17. & 18. from which a Oak 6 in diam. bears S 12 W. 6 miles dist; & a Spruce 7 " " " N 10 E. 19 " " Small steep sporn hills; Army &c. Tribun Oak, Beech,

East	Return Sep 16. & 21. T. N. 3. N. R. N. 3 W.
59.00	To a Creek 40 miles wide, Course South.
80.00	Enter set the N. S. line 20 miles N. of the Post cor. off Sep. 15. 16. 21. 22 Good soil of hill lands Tribun Beech.

Corrected the line between Sep 21. 28. T. N. 3. N. R. N. 3 W.
Set a post at the avor. dist on the true line for the cor.
to 1/4 sec. from which a
Beech 9 in diam. bears S 28 E. 17 miles dist; and a
Oak 9 " " " N 48 W. 21 " "

Corrected the line between Sep 17. & 20. T. N. 3. N. R. N. 3 W.
Set a post at the avor. dist on the true line for the cor.
to 1/4 sec. from which a
Beech. 6 in diam. bears S 72 E. 25 miles dist; and a
Oak. 7 " " " S 76 W. 27 " "

Corrected the line between Sep 16. & 21. T. N. 3. N. R. N. 3 W.
Set a post for the cor. to 1/4 sec. at the avor. dist on the true

T. N. 3. N. R. N. 3 W. 2nd Mer. Ind.°

	<p>View from which a 4 Buck 16 in diam bears \$5877.16 timber cost; 1 a Do. 12 " " " N14 E. 14 " " Dec. 13. 1804.</p>
East	<p>Between Sep. 15 & 22 T. N. 3. N. R. N. 3 W. 79.60 Intersect the N & S line 8 miles South of the post set for the cor. to Sep. 14. 15. 22 & 23. Ground middling soil. hilly; Timber Buck, Oak &c.</p>
East	<p>Between Sep. 13. & 24 T. N. 3. N. R. N. 3 W. 26.00 To a drain 7 miles wide, across it. 80.00 Set a Random post for the cor. of Sep. 13 & 24. Ground steep hills descending N. Soil rich; Timber Oak, Buck, Oak &c.</p>
North	<p>On the East Boundary of Sep. 24. T. N. 3. N. R. N. 3 W. 12.93 To a Buck 10 in diam. in the line. 40.00 Set a post for the cor. to 1/4 Sec. from which a Walnut 10 in diam. bears \$577.22 timber cost; and a Poplar 5 " " " N1277.13 " " 43.12 To a Buck 10 in diam. in the line. 53.89 " " Do 16 " " " " " 80.00 Intersect the E & W line 52 miles East & 20 miles South of the Random post. and set a post for the cor. of Sep. 13 & 24 T. N. 3. N. R. N. 3 W. from which a Sugar 10 in diam. bears \$9 E. 6 timber cost; and a Buck 17 " " " N2277.40 " " Ground steep hills inequality of soil. Timber Oak, Buck,</p>
North	<p>On the East Boundary of Sep. 13. T. N. 3. N. R. N. 3 W. 5.00 To a Buck 50 timber cost, across it. 10.45 To a Sugar 12 in diam. 1/4 m. in the line.</p>

T. N. 3. MR. N. 37. 2nd Mer. (Ind.)

31.56	To a W. Oak 30 in diam. in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a W. Oak 18 in diam. bears S 20 E 30 units dist; to do do. 18 " " " N 67 W. 36 " "
49.72	To a Beech 24 in diam. in the line
52.00	" " Birch 14 units wide, corner T. N.
67.74	" " Gum 16 in diam. in the line
80.00	Set a post for the cor. of sec. 12 & 13. from which a Beech 12 in diam. bears S 46 E. 18 units dist; to W. Oak. 20 " " " N 65 W. 18 " "
	Grounds hilly, no quantity of soil; Timber Beech, Oak & S
<hr/>	
	Corrected the line between Sec. 13. & 14 T. N. 3. MR. N. 37. Set a post at the avon. dist. in the true line for the cor. to $\frac{1}{4}$ Sec. from which a W. Walnut 8 in diam. bears S 56 W. 14 units dist; to Gum 8 " " " S 75 E. 14. " "
<hr/>	
North	On the East Boundary of sec. 12 T. N. 3. MR. N. 37.
15.65	To a Beech 10 in diam. bears in the line
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Beech 14 in diam. bears S 80 E. 20 units dist; to do. 7 " " " N 54 W. 13 " "
41.25	To a Beech 17 in diam. in the line.
66.54	" " W. Oak 24 " " " " "
80.00	Set a post for the cor. of sec. 11 & 12 from which a Beech 6 in diam. bears S 80 W. 8 units dist; to Sugar 16 " " " N 50 E. 16 " "
	Good soil of both lands. Timber Oak, Beech, Sugar & S
<hr/>	
North	On the East Boundary of sec. 1. T. N. 3. MR. N. 37.
13.50	To a locust 50 units wide, corner T. N.
14.54	" " Beech 22 in diam. in the line.

T. N. 3 N. R. N. 37. 2nd Mer. Ind.

31.10	To a W. Oak 20 in dia. in the line	
40.00	Set a post for the cor. to 1/4 sec. from which a Logwood 7 in dia. bears N70 W. 15 miles west; to W. Oak 9 " " " N88 E. 29 " "	
	Buck bottom on the North side of the creek.	
44.00	To a Poplar. 40 in dia. in the line	
80.00	Set a post for the cor. of T. 3 & 4 N. R. N. 213 W. from which a Buck 16 in dia. bears N42 W. 20 miles west; to Mulberry 8 " " " S56 E. 26. " "	
	Sandy hill. Soil good. Timber Buck, Oak, Poplar	

	Corrected the line between Sec. 15 & 22 T. N. 3 N. R. 37	
	Set a post for the cor. to 1/4 sec. at the av. dist. in the true line from which a Yew 16 in dia. bears S85 W. 19 miles west; to Buck 13 " " " S59 W. 15 " "	
	Dist. 14. 18.06.	

North	Between Sec. 15 & 16. T. N. 3 N. R. N. 37.	
1.43	To a Buck 14 in dia. in the line.	
9.53	" " " 14 " " " " "	
24.91	To " W. Oak 20 " " " " "	
35.00	" " Brook 16 miles wide, course E. W.	
40.00	Set a post for the cor. to 1/4 sec. from which a Log 12 in dia. bears N4 W. 25 miles west; to W. Oak 6 " " " S45 W. 20. " "	
71.80	To a W. Oak. 13 in dia. in the line	
80.00	Set a post for the cor. of Sec. 9, 10, 15 & 16. from which a Log 12 in dia. bears S25 E. 24 miles west; and a Poplar 20 " " " N44 W. 20 " "	
	Sandy hill, middling soil. Timber Oak, Buck	

West	Between Sec. 9 & 16. T. N. 3 N. R. N. 37.	
------	---	--

T. N. 3. N. R. N. 37. 2nd Mer. Ind.

32.50 To a Brook 14 miles wide, Course South
 80.00 Set a post for the cor. of Dec. 8, 9, 10, 17
 High hilly land poor soil. Limbs Oak, Hickory, Beech 10

North Between Dec. 16 & 17 T. N. 3. N. R. N. 37.

9.58 To a Brook 20 mi. wide in the line

40.00 Set a post for the cor. to 1/4 Sec. from which a

Dogwood 8 in. dia. bears N 55 W. 21. limbs oak; 10

Cherry 10 " " " S 83 E. 5 " "

67.28 To a Brook 12 mi. wide stands in the line

80.00 Intersected the E. 1/2 line 26. limbs West of the Random
 post, and set a post for the cor. of Dec. 8, 9, 16 & 17 from which
 a Sassafras 7 in. dia. bears N 67 W. 15 limbs oak, and a
 Dogwood 8 " " " N 22 E. 35 " "
 Land soil made timber same as last mile.

West Between Dec. 8 & 17 T. N. 3. N. R. N. 37.

40.00 Set a post for the cor. to 1/4 Sec. from which a

B. Oak 4 in. dia. bears N 45 W. 22 limbs oak; 10

Beech 10 " " " N 68 E. 34 " "

42.57 Set a post on the Left Bank of White River for the cor.
 of Dec. 8 & 17 from which a

Beech 9 in. dia. bears N 67 W. 25 limbs oak; and a

Hickory 12 " " " N 34 E. 9 " "

Steep broken river hills

North Between Dec. 8 & 9 T. N. 3. N. R. N. 37.

28.93 To a Brook 13 mi. wide stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a

Oak 4 in. dia. bears North 4 limbs oak; and a

Dogwood 7 " " " S 31 E. 9 " "

45.81 To a Brook 20 mi. wide in the line

55.67 To poor hilly land.

T. N. 3. N. R. N. 3 W. 2nd Mer. Ind.

66.50	To a Sugar 13 th in dia. in the line
85.00	Set a post for the cor. 4.5, 819 from which Beech 10 in dia. bears S49 N. 23 hnds. ash; & a Do. 8 " " " N49 E. 27 " " Wood Beech, Aplan. &
West	Between Sec. 5 & 8. T. N. 3. N. R. N. 3 W.
40.00	Set a post for the cor. to 1/4 Sec. from which a Chestnut 50 in dia. bears S85 E. 30 hnds. ash; & a Gum 17 " " " S72 N. 52 " "
47.00	Good hilly lands to follow
73.75	Set a post on the Left Bank of White River for the cor. of sec. 5 & 8. From which a Sugar 8 in dia. bears N56 N. 16 hnds. ash; and a W. Oak 16 " " " S2 N. 27 " " Bottom soil of middling quality. Timber Oak, Beech, Ash, Elm, Maple, &c.
North	Between Sec. 4 & 5. T. N. 3. N. R. N. 3 W.
1.85	To a Beech. 16 in dia. in the line
35.00	Set a post on the Left Bank of White River for the cor. of sec. 4 & 5 from which a Beech. 7 in dia. bears N74 N. 6 hnds. ash; and a Sugar. 8 " " " S65 E. 31 " " Lands rough steep broken soils, Timber Oak, Beech
	Corrected the line between Sec. 9 & 16. T. N. 3. N. R. N. 3 W. Set the temp ^l post at the av. dist. on the true line for the cor. to 1/4 Sec. from which a Beech. 12 in dia. bears N54 E. 58 hnds. ash; and a W. Oak 4 " " " S22 N. 16 " "
East	On a Random line between Sec. 4 & 9. T. N. 3. N. R. N. 3 W.

T. N. 3. N.R. N. 37. 2nd Mer. Ind.

61.00 To a Brook 7 miles wide, Corner N.
 80.00 Set a Post on first cr. of sec. 3, 4, 9 & 10.
 Land on this mile, steep rough broken hills, poor
 soil. Timber Oak, Beech, Hickory &c. Dec. 16. 1804

North Between Sec. 14 & 15. T. N. 3. N.R. N. 37.

3.75 To a Brook 17 mi. diam. in the line.

9.00 " " Corner 50 miles wide, Corner S.E.

29.00 " the same Creek 50 " " " " S.W.

37.71 To a Brook 18 mi. diam. stands in the line

40.00 Set a post for the cr. to 1/4 sec. from which a

Brook 16 mi. diam. bears S 6 E. 27 miles west; and a

do. 20 " " " N 9 W. 40 " "

49.73 To a Brook 18 mi. diam. stands in the line.

80.00 Set a post for the cr. of sec. 10, 11, 14 & 15 T. N. 3. N.R. 37.

from which a Brook 15 mi. diam. bears N 8 E. 33 miles west

and a do. 6 " " " S 35 E. 2 " "

Land steep from hills. Timber Oak, Beech &c

North Between Sec. 10 & 11 T. N. 3. N.R. N. 37.

8.10 To a Mt. Oak 18 mi. diam. in the line

40.00 Set a post for the cr. to 1/4 sec. from which a

Mt. Oak 30 mi. diam. bears S 5 E. 29 miles west; and a

do. 24 " " " N 13 E. 20 " "

69.29 To a Sugar. 16 mi. diam. stands in the line.

80.00 Set a post for the cr. to sec. 2, 3, 10 & 11 from which a

Brook 14 mi. diam. bears N 18 W. 29 miles west; and a

Sugar 7 " " " S 43 E. 19 " "

Land soil and timber same as on the last mile.

East On a Random line between Sec. 10 & 15 T. N. 3. N.R. 37.

62.00 To a Brook 16 miles wide, Corner South.

80.00 Intersect the N.S. line 20 miles South of the post set for

T. N. 3. N. R. N. 3. W. 2nd Mer. (Ind.)

the cor. of 10. 11. 14 + 15.
Land on this side hilly soil poor. Timber Oak, Beech &c.

West
40.00 Corrected the line between Sec. 10 + 15 T. N. 3. N. R. N. 3. W.
Set a post at the avor. dist. on the true line for the cor. to the 1/4 sec. from which a
Chestnut 9 mi. dist. bears S 35 E. 13 miles dist. & so
Sassafras 9 " " " S 59 W. 15 " "

North
8.83 Return Sec. 9 + 10 T. N. 3. N. R. N. 3. W.
To a Chestnut 24 mi. dist. stands in the line.
40.00 Set a post for the cor. to the 1/4 sec. from which a
Chestnut 17 mi. dist. bears N 86 E. 14 miles dist. & so
Hickory 14 " " " S 89 W. 72 " "
57.55 To a Beech. 22 mi. dist. stands in the line.
80.00 Intersected the N & S line 44 miles East of the Rand-
om post cor. of Sec. 3. 4. 9 + 10. made set a post from which
a Sugar 14 mi. dist. bears N 34 W. 34 miles dist. & so
Do. 14 " " " S 69 E. 14 " "
Poor hilly land Timber Oak, Beech, &c.

North
14.61 Return Sec. 3 + 4 T. N. 3. N. R. N. 3. W.
Set a post on the left Bank of White River for the cor.
of tract. Sec. 3 + 4 from which a W. Oak. 12 mi.
dist. stands on the Bank. for cor.
Land good soil Timber Beech, Sugar &c

West
40.00 Corrected the line between Sec. 4 + 9 T. N. 3. N. R. N. 3. W.
Set a post at the avor. dist. on the true line for the cor. to
1/4 sec. from which a
Poplar 6 mi. dist. bears S 68 E. 14 miles dist. & so
Beech 10 " " " N 37 W. 31 " "

T. N. 3. N. R. N. 3. W. 2. M. M. Ind.

North	Between Sec. 13 & 14. T. N. 3. N. R. N. 3. W.
11.00	To a Grove 50 miles wide, across W.
22.68	To a Grove 12 mi. diam. in the line.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Buck 14 mi. diam. bears N 82 W. 19 miles due; and a Do. 10 " " " S 45 E. 43 " "
74.66	To a Grove 17 mi. diam. in the line
80.00	Intersect the E & W line of lands East and fall 40 miles South of the Mandan post on of Sec. 11, 12, 13, & 14 & set a post from which a Hick 14 mi. diam. bears S 46 W. 3 miles due; and a W. Walnut 10 " " " N 15 E. 40 " " Sandy, hilly, muddy lying. Timber Buck, Sugar &c
East	Between Sec. 12 & 13. T. N. 3. N. R. N. 3. W.
79.68	Intersect the Range line 12 miles North of the post on of Sec. 12 & 13. Good, hilly land; Timber Oak Sugar, Buck, and Poplar, &c. &c.
West	Corrected the line between Sec. 12 & 13. T. N. 3. N. R. N. 3. W.
39.84	Set a post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist. in the true line from which a W. Oak, 16 mi. diam. bears N 20 W. 14 miles due; & a Buck 10 " " " S 70 E. 24 " "
West	Corrected the line between Sec. 11 & 14. T. N. 3. N. R. N. 3. W.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. at the aver. dist. in the true line from which a Buck 16 mi. diam. bears N 19 E. 20 miles due; & a Sugar 7 " " " S 16 E. 25 " "
North	Between Sec. 11 & 12. T. N. 3. N. R. N. 3. W.

T. N. 3. N. R. N. 37. 2nd Mer. (Ind.)

18.79	To a Gum 14 in dia: in the line
40.00	Set apart for the cor. to 7 th Sec. from which a Back 7 in dia: bears S 23 E. 20 links dist; and a No. 15 " " " N 10 W. 18 " "
41.00	To a Brook 50 links wide Course S 77 "
56.21	To an Elm 16 in dia: in the line
65.00	To a Brook 50 links wide, Course S. E.
70.00	" Same No. 50 " " " S 77 "
80.00	Enter the E & W line 10 links South of the Random post & set apart for the cor. of sec. 1, 2, 11 & 12 from which a Back 18 in dia: bears N 77 E. 13 links dist; and a No. 7 " " " S 51 W. 21 " " Sound good & crabs bottom.

East	Between Sec. 1 & 12 T. N. 3. N. R. N. 37.
5.00	To a Brook 40 links wide, Course S.
12.50	" " " 40 " " " " "
25.00	Back bottom.
52.00	To a Brook. 50 links wide, Course South.
79.64	Enter the Range line. 60 links North of the post cor. of sec. 1 & 2 T. N. 3. N. R. N. 37. Enter Back replaces of m. all thing quantity

West	Corrected the line between Sec. 1 & 12 T. N. 3. N. R. N. 37.
39.82	Set apart for the cor. to 7 th Sec. at the av. dist. in the true line from which a Sugar 16 in dia: bears S 75 W. 14 links dist; and a Back 7 " " " S 70 E. 19 " "

West	Corrected the line between Sec. 2 & 11 T. N. 3. N. R. N. 37.
40.00	Set apart for the cor. to 7 th Sec. from the at the av. dist. in the true line from which a Back 6 in dia: bears N 40 E. 28 links dist; and a

T. No. 3 N.R. No. 3 77. 2nd Mer. (Ind.)

From 18 mi. dist. bears S 45 W. 16 miles dist;

North Return Sub 140 T. No. 3 N.R. No. 3 77.
 6.00 To a Beck bottom
 38.74 " " 100 14 mi. dist. in the line.
 40.00 Set a post for the cor. to 70 Sec. from which a
 Sugar 12 mi. dist. bears S 46 E. 17 miles dist; and a
 Co. 12 " " " N 46 W. 25 " "
 61.81 To a Beck 14 mi. dist. in the line.
 80.00 Set a temp. post cor. of sec 1 & 2.
 Sands good soil highly land. Timber Oak & Beech

North Return Sub 344 T. No. 3 N.R. No. 3 77.
 Continue the line from the tree on the Left Bank of N.
 River cor. to post Sub 344. 14. 61 ch. N. from the cor. of
 sec. 3, 4, 9 & 10. River 5. 60 miles wide.
 23.00 To a Rock Millon Swamp 300 yds wide.
 36.60 To a Sugar 18 mi. dist. in the line
 40.00 Set a post for the cor. to 70 Sec. from which a
 Beck. 13 mi. dist. bears S 78 W. 13 miles dist; and a
 Co. 8 " " " N 80 E. 30 " "
 78.05 Down a steep bank to White River. Set a post for the cor.
 of sec. 3 & 4. from which a
 B. Oak. 26 mi. dist. bears West 11 miles dist; & a
 Sugar. 10 " " " S 76 E. 11 " "
 Low creek ridges good soil; post 45 ch. good bottom
 Timber Oak, Sugar, &c. Said line would intersect
 the N. Branch at 79.23. and 100 miles East of the
 post cor. of sec. 33, 1, 34 T. No. 4 N.R. No. 3 77.

(North Return Sub 485 Cor. T. No. 3 N.R. No. 3 77.
 Continued the line North from the Left B. N. River.)
 42.66 On the N. Bank of White River cor. of sec. 4 & 5.

T. N. 3. N. 37. 2nd Mer. Ind. c.

80.00	Corner in White River No bearing trees.
North	On the East Boundary Sec. 13 T. N. 3. N. 37.
6.50	To the Right Bank of White River.
8.00	To the mouth of a brook 20 miles wide corner S.E.
27.00	Good soil of hilly lands.
40.00	Set a post for the cor. to 1/4 Sec. from which a P. Oak 3 in. diam bears N 47 W. 18 miles west & a Do. 4 " " " " S 36 E. 50 " "
60.00	To a Brook 7 miles wide, Corner East
62.50	" " Do. 6 " " " S.E.
80.00	Set a post for the cor. of sec. 12 & 13. T. N. 3. N. 37. from which a P. Oak 12 in. diam bears N 82 W. 10 miles west & a Do. 12 " " " " N 68 E 3 " "
	Land poor barren hills. Little Oak.
North	Return Sec. 17 & 18 T. N. 3. N. 37.
47.50	See before.
52.50	To the Right Bank of White River.
58.00	Low bottom to Swamp.
70.00	Swamp or pond
80.00	Set a post for the cor. of sec. 7, 8, 17 & 18 from which a White Oak 4 in. diam bears N 30 E. 17 miles west & a P. Oak 4 " " " " S 61 W. 8 " "
	Grassy lands Small timber.
West	Return Sec. 7 & 18. T. N. 3. N. 37.
36.00	To a Brook 10 miles wide Corner S. Limited soil as above
40.00	Set a post for the cor. to 1/4 Sec. in barrens
80.00	Intersect the Range line 50 miles South of the post. Set a post for the cor. of sec. 7 & 18. from which a Oak 14 in. diam bears S 60 W. 1 mile west & a P. Oak 14 " " " " S 68 E. 12 " "

T. N. 3. N. R. N. 3 77. 2nd Mer. 1. Sec. 5

From barren hills Timber Oak, Herk Co.

West	Return Sat. 8. & 17 T. N. 3. N. R. N. 3 77.
42.57	See before
49.00	To the Rt. Bank of White River
67.01	To a fresh water bottom Timber Oak, Elm Beech Sugar etc
74.00	Cross Swamp.
80.00	Set a post the N & S line at the post 7. 8 17. & 18. Plain Land, Small Timber.
North	Return Sat. 7. & 8 T. N. 3. N. R. N. 3 77.
40.00	Set a post for the cor. to 1/4 Sec. from which a Sugarcane 5 in dia. bears N 39 E. 9 huts Oak, etc Hick 10 " " " " 67 17 8 " "
44.00	Set a post timber same as before.
52.00	To a Brook 5 huts wide, Course E.
74.00	" " " 8 " " " S.E.
76.33	To the Rt. Bank of White River. a Red Bud. 3 in dia. Set a post for the cor.
80.00	Cor. of sec. 5, 6, 7 & 8 In White River
West	Return Sat. 6 & 7 T. N. 3. N. R. N. 3 77.
1.57	To the Rt. Bank of White River.
40.00	Set a post for the cor. to 1/4 Sec. in barrens no bearing
80.00	Set a timber post. a Sand pine brush & hilly Timber mostly killed by fire.
North	On the East River of Jan. 12. T. N. 3. N. R. N. 4 77.
11.00	To a Brook 4 huts wide, Course S 20 N.
17.97	To a Sugar. 10 in dia. in the line.
30.00	Followed up Sandbrook Timbers land.
40.00	Set a post for the cor. to 1/4 Sec. from which a Sugar 10 in dia. bears N 40 W. 46 huts Oak;

T. N. 3. R. W. N. 37. 2nd Mer. Ind.

No other tra man.

50.00

Set a post for the cor. of sec. 1 & 12 T. N. 3 R. W. N. 47.
from which a Gun 18 in. dia: bears S 77. 1.35 the dist
no other tra man.

So as high barren hills Timber killed by fire
much briars & Beech.

North

0.23

On the East Boundary of sec. 1. T. N. 3. R. W. 47.
Intersect the E 57th line 4 miles West of Post. and set
a post cor. of sec. 6 & 7. T. N. 3. R. W. N. 37. from which a
Gun 18 in dia: bears S 77. 158 miles dist; and

3.00

To a Brook 7 miles wide, Corner West

10.00

To timbered land

40.00

Set a post for the cor. to 74 Sec. from timber.

59.00

Barren hills poor soil.

67.00

Down steep hills to bottom.

71.00

To a Creek 30 miles wide, Corner E.

73.33

To a N. Lake 16 in dia: in the line.

80.00

Set a post cor. of Towns 3 & 4. R. W. N. 3 & 4. W. from
which a Beech 10 in dia: bears S 77. 8 miles dist; to a
Co. 121. " " N 35 E 36 " "
Good Beech bottom.

North

12.96

Return Sec. 576. T. N. 3. R. W. N. 37.

30.00

In White River

40.00

Go to the edge Miller Swamp.

53.00

In Swamp.

75.01

Cross said Swamp. Rise 1 Beech.

To the East Bank of White River set a post for the
cor. of sec. 576 from which a
Beech 18 in dia: bears N 77 E. 11 miles dist; to a
Sugar 12 " " " S 80 W. 22 " "
Good soil of bottom land

T. N. 3. N. R. N. 37. 2nd Mer. Ind.:

- Set a post for the cor. to $\frac{1}{4}$ Sec. in the N. Boundary of
Sec. 1 T. N. 3. N. R. N. 37. From which a
Sassafras 5 in. dia. bears N 63 E 8 links dist; to
Co. 7 " " " N 66 W 22 " "
-
- 79.30 Set a post for the cor. of Sec. 1 & 2 T. N. 3. N. R. N. 37.
From which a Beech 11 in. dia. bears S 11 W. 30 links dist;
and a Gum 9 " " " N 23 W. 18 " "
- Set a post for the cor. to $\frac{1}{4}$ Sec. in the N. Boundary
of Sec. 2 T. N. 3. N. R. N. 37. From which a
Hickory 10 in. dia. bears East 28 links dist; to
Co. 14 " " " N 77 W. 48 " "
-
- 79.28 Set a post for the cor. of Sec. 2 & 3 T. N. 3. N. R. N. 37.
From which a Hickory 13 in. dia. bears S 48 W. 3 links dist;
and a Black Oak 20 " " " N 8 E. 14 " "
- Set a post for the cor. to $\frac{1}{4}$ Sec. in the N. Boundary of
Sec. 3 T. N. 3. N. R. N. 37. From which a
Blue ash 10 in. dia. bears S 67 W. 14 links dist; to
W. Ash 13 " " " N 41 E. 11 " "
-
- 79.23 Set a post Cor. of Sec. 3 & 4 T. N. 3. N. R. N. 37.
No bearing?
-
- Set a post for the cor. to $\frac{1}{4}$ Sec. in the cor. to $\frac{1}{4}$ Sec. on the
N. Boundary of Sec. 4 T. N. 3. N. R. N. 37. From which
a Beech 7 in. dia. bears S 47 W. 14 links dist; to
Co. 10 " " " N 21 W. 12 " "
-
- 79.60 Set a post for the cor. of Sec. 4 & 5 T. N. 3. N. R. N. 37.
From which a Beech 14 in. dia. bears N 78 W. 25 links dist.

T. N. 3 N. R. N. 3 W. 2^d Mer. Ind.

N57N.	9.00	6.50 To Brook. 7 miles wide,
N70N.	13.50	
N62N.	3.49	To a post cor. of Sec. 4 & 5. T. N. 3 N. R. 3 W.
<hr/>		
N63N.	8.13.	
N48N.	30.00	at Bottom In sec. 5.
N33N.	17.44	
N25N.	6.20.	To post in the N. Boundary of sec. 5 then
	30.10	West on the Iron line in the N. Boundary of sec. 5
		thence, measured in Sec. 5 again
N55N.	7.31	
N82N.	1.00	To post in line between Sec. 5 & 6.
<hr/>		
N36N.	13.86	
N16N.	22.41	
N20E.	6.36	
N38E.	4.96	
N30E.	12.05	
N20E.	9.50	To the line between Sec. 5 & 6
<hr/>		
N26E.	10.85	
N15E.	3.82	To post on line between Sec. 5 & 8.
<hr/>		
N33E.	25.00	
N46E.	27.89	at 18.00 creek 40 miles wide, bottom large, to
N38E.	10.24	
N11E.	15.00	
N33N.	17.50	
N47 ^{1/2} N.	2.17	To post on the line between Sec. 8 & 17.
<hr/>		
N40N.	27.82	
N56N.	11.15	
N61N.	9.66	

T. N. 3. N.R. No 37. 2nd. Mrs. Ind.

d877.	2.23	To the post on the line between Dec. 17. & 18.
d4877.	17.31	
d6277.	27.08	at 5.00 bottom; at 20 ch. brook 40 miles wide.
d7077.	27.50	
d2377.	7.36	
d3077.	8.20	
d2277.	4.73	To a Post. between Dec. 18. & 19. Cahill.
d17E.	30.04	
d10E.	13.95	
d5E.	15.00	
d19E.	13.06	
d14E.	7.00	
d17E.	2.67	To the post on line between Dec. 19 & 20.
d6E.	10.78	
d2977.	5.00	1.50 creek 40 miles wide, Good Bottom.
d3777.	7.44	
d4477.	5.84	
d5977.	9.50	
d2777.	8.71	
d36 ³ / ₄ 77.	3.42	To Mungo line between Dec. 30. & 25 T. 3. N.R. 3 3 & 4 77. High banks. Rocky so

Surveyed by
Genl. Barton L.S.

10
03

1000

T. No. 3. N.R. No. 3 W. 2nd Mer. Ind.^a

I certify that the foregoing transcript of the field notes of Township No. 3 North of Range No. 3 West of the 2nd Meridian, Indiana, has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office.

Cincinnati, Dec. 10. 1840.

J. S. P. A. Jones
Sur. Genl.